





# Slides

Model	Year	Size	Stock Slide		High Performance Slide		Coloured Slides			
			Front	Rear	Front	Rear	Blue	Red	Yellow	
Apex	06-10	121"	SMA-8FU92-00-BK							
Apex	11	128"	8HG-47421-00-00							
Apex SE	11	128"	8HG-47421-00-00							
Apex GT	06-10	121"	SMA-8FU92-00-BK							
Apex X-TX	11	144"	SMA-8HL92-00-BK							
Apex R-TX	06	121"	SMA-8FU92-00-BK							
Apex R-TX	07-09	136"	SMA-8ES92-00-BK							
Atiak	06-07	136"	SMA-8FT92-00-BK							
Atiak GT	07	136"	SMA-8FT92-00-BK							
Apex L-TX	08-10	136"	SMA-8FT92-00-BK							
Apex L-TX GT	08-10	136"	SMA-8FT92-00-BK							
Apex Mountain	06-07	162"	SMA-8FS92-00-BK							
Apex Mountain SE	07	162"	SMA-8FS92-00-BK							
Apex M-TX	08-09	162"	SMA-8FS92-00-BK							
Apex M-TX SE	08	162"	SMA-8FS92-00-BK							
FX Nytro	08-11	121"	SMA-8GL92-00-BK							
FX Nytro R-TX	08-11	121"	SMA-8GL92-00-BK							
FX Nytro R-TX SE	09-10	144"	SMA-8GL92-00-BK							
FX Nytro X-TX	09-10	153"	SMA-8HL92-00-BK							
FX Nytro X-TX	11	153"	8HL-47421-10-00							
FX Nytro M-TX	08-09	153"	SMA-8HA92-00-BK							
FX Nytro M-TX SE 153	10-11	153"	SMA-8HU92-00-BK							
FX Nytro M-TX SE 162	10-11	162"	SMA-8HR92-00-BK							
Nytro	06-07	121"	SMA-8ES92-00-BK							
Phazer	07-09	121"	SMA-8GC92-00-BK							
Phazer FX	07	121"	SMA-8GC92-00-BK							
Phazer R-TX	08-11	121"	SMA-8GC92-00-BK							
Phazer GT	07-11	144"	SMA-8GC92-00-BK							
Phazer Mountain Lite	07	144"	SMA-8FK92-00-BK							
Phazer M-TX	08-11	136"	SMA-8FK92-00-BK							
RS Rage	05	136"	SMA-8CW92-70-BK							
RS Rage	06-07	136"	SMA-8FT92-00-BK							
RS Rage GT	07	136"	SMA-8FT92-00-BK							
RS Vector L-TX	08-09	136"	SMA-8FT92-00-BK							
RS Vector L-TX GT	08-11	136"	SMA-8FT92-00-BK							
RS Vector	05	121"	SMA-8ES92-00-BK							
RS Vector	06-09	121"	SMA-8FU92-00-BK							
RS Vector GT	06-11	121"	SMA-8FU92-00-BK							
RS Vector Mountain	05-06	162"	SMA-8FK92-00-BK							
RS Vector Mountain SE	06-07	144"	SMA-8FS92-00-BK							
RS Venture	05-10	144"	SMA-8ET92-00-BK							
RS Venture GT	07-11	144"	SMA-8ET92-00-BK							
RS Venture TF	05-11	151"	8FM-47421-00-BK							
Venture Lite	07-11	144"	SMA-8ET92-00-BK							
Venture Multi-Purpose	07-11	144"	SMA-8ET92-00-BK							
VK Professional	06-11	156"	SMA-8CW92-70-BK	8AC-47424-00-00						
VK540	98-11	156"	SMA-8CW92-70-BK	8AC-47424-00-00						
Bravo LT	98-11	136"	8X0-47421-00-XX							

# Snow Flaps

Model	Year	Snow Flap			
		Black 8GW-K7595-00-00 	Black 8GT-K7595-00-00 	Blue SMA-K7595-00-BL 	Red SMA-K7595-00-RD 
Apex	06~11		•	•	•
Apex SE	11		•	•	•
Apex GT	06~10		•	•	•
Apex X-TX	11		•	•	•
Apex R-TX	06~09		•	•	•
Attak	06~07		•	•	•
Attak GT	07		•	•	•
Apex L-TX	08~10		•	•	•
Apex L-TX GT	08~10		•	•	•
Apex Mountain	06~07		•	•	•
Apex Mountain SE	07		•	•	•
Apex M-TX	08~09		•	•	•
Apex M-TX SE	08		•	•	•
FX Nytro	08~11		•	•	•
FX Nytro R-TX	08~11		•	•	•
FX Nytro R-TX SE	09~10		•	•	•
FX Nytro X-TX	09~11		•	•	•
FX Nytro M-TX	08~09		•	•	•
FX Nytro M-TX SE 153	10~11		•	•	•
FX Nytro M-TX SE 162	10~11		•	•	•
Nytro	06~07		•	•	•
Phazer	07~09		•	•	•
Phazer FX	07		•	•	•
Phazer RTX	08~11		•	•	•
Phazer GT	07~11		•	•	•
Phazer Mountain Lite	07		•	•	•
Phazer M-TX	08~11		•	•	•
RS Rage	05~07		•	•	•
RS Rage GT	07		•	•	•
RS Vector L-TX	08~09		•	•	•
RS Vector L-TX GT	08~11		•	•	•
RS Vector	05~09		•	•	•
RS Vector GT	06~11		•	•	•
RS Vector Mountain	05~06		•	•	•
RS Vector Mountain SE	06~07		•	•	•
RS Venture	05~08	•			
RS Venture TF	09~11	•			
RS Venture GT	07~11	•			
Venture Lite	07~11	•			
Venture Multi-Purpose	07~11	•			

## Cleaners + Lubricants

### Engine Cleaner

A blend of gentle solvents and emulsifiers designed to remove oil and dirt from cold engine surfaces. It rinses off with cold water and is safe to use on concrete and pavement.

380g **ACC-11000-60-00**

### Contact Cleaner

Designed to clean oil and dirt from most surfaces. It evaporates quickly without leaving a film or residue. It is ideal for use on carburetor, brake and electrical parts.

450g **ACC-11000-60-05**

### Combustion Chamber Conditioner

Laboratory and field-tested blend of chemicals to remove power-robbing deposits that accumulate in gasoline engines.

227g **ACC-11000-82-00**

### Yamaha Fuel Conditioner

An excellent fuel additive that stabilizes fuel over long storage periods. Prevents build-up of gum deposits, gasoline freezing and carburetor icing. A must for off-season storage.

500ml **ACC-11000-80-00**

### Snowmobile Grease

High performance cold-temperature grease, specially formulated for snowmobile use.

**ACC-SMBGR-EA-SE**

### Ratio Rite

Measures accurate amounts of oil for premix applications, from 16:1 to 50:1 (can be used for 100:1). For use in 1 to 9 1/2 litres and multiples thereof. Calibrated in cc, ml and pts. for gearbox and transmission fills.

**ABA-RATIO-RI-TE**

### Yamabond 1102

This yellow non-drying fluid sealant prevents leakage of water, oil gasoline and chemicals. Apply on flange surfaces and screw sections.

200g **90890-05142-00**

### Yamabond 4

An excellent sealer on metal. Yamabond is perfect for joining crankcase covers. Semi-drying and easy to remove.

200g **ACC-YAMAB-ND-04**

### Yamabond 5

Seals and bonds without the need for gaskets. Full drying – best on vertically split cases.

150g **ACC-YAMAB-ON-D5**

### Yamabond 6B

Black high-performance RTV silicone for use on black engines. It can be used to seal oil, coolant or air in powertrain systems and crankcase surfaces in good condition. It is characterized by good elasticity, temperature and chemical resistance after curing. It also has a good blowout resistance and a service temperature of 200° C.

3-oz. tube **ACC-YAMAB-ND-6B**

### Yamabond 1215

Crankcase sealant for use on 4-stroke models. High heat resistance for today's high-performance engine. Grey non-solvent silicone rubber base.

200g **90890-85505-01**

### Yamabond 7

General-purpose synthetic rubber adhesive having particularly strong initial adhesive strength and it retains its elasticity. It is a yellow paste that will become tack free in less than 10 minutes. It cures itself by solvent evaporation. It bonds metal, glass, wood, plastic, rubber and paper. This adhesive is used for handlebar grips from the factory. When replacing a grip, apply to the inside of the grip and install immediately. Sold in a small 10g tube size, so one tube is good for one application only.

10-g tube **ACC-YAMAB-ON-D7**

### Silicone Spray

General-purpose spray to protect and lubricate most surfaces. Stops squeaks caused by friction or rubbing.

320g **ACC-11000-74-00**

### Instant Detailer, Cleaner & Polisher

Formulated exclusively for Yamaha Motor Canada Ltd. This Instant Detailer, Cleaner and Polisher is the ultimate "Detailer in a can". It cleans road grime, bugs, grease, dust and shipping preservatives without water, leaving a "showroom shine" that helps protect against sun damage, ozone and dirt accumulation.

396g **ACC-11000-60-20**

### Snowmobile Gear Case Lube

A higher quality lubricant blended specifically for use in the snowmobile chain case. It will prevent lubricant loss and it will protect against wear.

**ACC-11000-67-01**

### Boeshield T-9®

A combination of solvents, lubricants, and waxes designed for penetration, moisture displacement, lubrication, and protection. Loosens rusty and corroded parts. Dries to a thin waxy film that clings to metal for months. Safe on paints, plastics, and vinyl's.

**ACC-T9SPR-AY-00**

### Ring Free

A proprietary blend formulated using a combination of the industry's leading technology for gasoline deposit control - polyether amine - and a dispersant additive specifically developed for two and four-stroke engines. Reduces carbon deposits in the ring grooves of 2-stroke engines, preventing ring jacking and sticking which can lead to scuffing and/or engine seizure. Restores efficient spray pattern in fuel injectors partially blocked by carbon deposits. This will result in better engine performance - no stumbling or hesitation, more power - and reduced emissions. Removes carbon deposits from exhaust valves and keeps them clean, restoring power and reducing emissions. Can remove carbon deposits from the piston dome and combustion chamber, reducing the octane requirement of the engine. This can eliminate ping and permit the use of a lower octane grade of fuel. Effective in both 2-stroke and 4-stroke engines, marine and land-based. Two dosage recommendations: "clean-up" for removing deposits and restoring engine performance and "keep-clean" for routine use to prevent formation of performance-robbing carbon deposits inside the engine. Does not perform the function of a fuel conditioner/stabilizer. A separate Yamaha product is available for storage stabilization of fuel.

**ACC-RNGFR-EE-1L**

### Silicone Spray

A premium-quality, fast-acting penetrating oil. Helps free rusted bolts and seized shafts. Non-conductive moisture dispersant for wet ignitions.

**ACC-11000-74-00**

### Yamabond 14

Solvent based thread lock to lock screws, bolts, and threaded fasteners. Contains special resins that provide great adhesion to plastics, fiberglass and metals. Vibration resistant, impact resistant and will not harm most plastics or painted parts. Used to prevent the loosening, leaking and rusting of screws.

**ACC-YAMAB-ON-14**

### Yamaha Grease

Excellent for use on linkages, bolts, pins, etc. (water resistant). Same grease used by Yamaha factory.

**90890-69910-00**

### Brake Caliper Grease

Formulated for use on all brake system components, master cylinder piston outer seal, dust boot, lever pivot, actuator surface, caliper outer piston seals, caliper mount pins, Rhino parking brake piston seal, worm gear and o-ring. Works on any surface that does not come in contact with brake fluid. Can also be used as dielectric grease.

**ACC-SLCGR-EA-SE**

